

## Safety Data Sheet

acc. to OSHA HCS (29 CFR 1910.1200) and WHMIS 2015 regulations



Printing date: 11/20/2017

Revision: 11/20/2017

### 1 Identification

- **Product identifier**
- **Trade name:** XW Cellclean
- **Other means of identification:** No other identifiers
- **Recommended use and restriction on use**
- **Recommended use:** Diagnostic testing
- **Restrictions on use:** No relevant information available.
- **Details of the supplier of the Safety Data Sheet**
- **Manufacturer/Supplier:**  
SYSMEX AMERICA, Inc  
577 Aptakisic Road  
Lincolnshire, IL 60069 USA  
Phone: 847-996-4500  
1-800-3SYSMEX (1-800-379-7639)
- **Emergency telephone number:**  
ChemTel Inc.  
(800)255-3924, +1 (813)248-0585

### 2 Hazard(s) identification

- **Classification of the substance or mixture**  
Met. Corr.1 H290 May be corrosive to metals.  
Skin Corr. 1B H314 Causes severe skin burns and eye damage.  
Eye Dam. 1 H318 Causes serious eye damage.  
STOT SE 3 H335 May cause respiratory irritation.
- **Label elements**
- **GHS label elements**  
The product is classified and labeled according to the Globally Harmonized System (GHS).
- **Hazard pictograms:**  
  
GHS05 GHS07
- **Signal word:** Danger
- **Hazard statements:**  
H290 May be corrosive to metals.  
H314 Causes severe skin burns and eye damage.  
H335 May cause respiratory irritation.
- **Precautionary statements:**  
P260 Do not breathe mist/vapors/spray.

(Cont'd. on page 2)

**Sysmex America, Inc.**577 Aptakisic Road, Lincolnshire, IL 60069  
Phone 847-996-4500 · 1-800-3SYSMEX (1-800-379-7639)[www.sysmex.com](http://www.sysmex.com)XW CELLCLEAN

Document No.: F-EHS-07212 Rev. 1.0

Page 1 of 13

Effective Date: 06 Dec 2017

## Safety Data Sheet

acc. to OSHA HCS (29 CFR 1910.1200) and WHMIS 2015 regulations

Printing date: 11/20/2017

Revision: 11/20/2017

**Trade name: XW Cellclean**

(Cont'd. of page 1)

- P264 Wash thoroughly after handling.
- P280 Wear protective gloves/protective clothing/eye protection.
- P234 Keep only in original container.
- P271 Use only outdoors or in a well-ventilated area.
- P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
- P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- P310 Immediately call a POISON CENTER/doctor.
- P321 Specific treatment (see on this label).
- P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.
- P363 Wash contaminated clothing before reuse.
- P301+P330+P331 If swallowed: Rinse mouth. Do NOT induce vomiting.
- P390 Absorb spillage to prevent material damage.
- P405 Store locked up.
- P403+P233 Store in a well-ventilated place. Keep container tightly closed.
- P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

- **Additional information:** Contact with acids liberates toxic gas.
- **Other hazards** There are no other hazards not otherwise classified that have been identified.

### 3 Composition/information on ingredients

• **Components:**

7681-52-9	sodium hypochlorite	5-10%
	<ul style="list-style-type: none"> <li> Met. Corr. 1, H290; Skin Corr. 1B, H314; Eye Dam. 1, H318</li> <li> STOT SE 3, H335</li> </ul>	

• **Additional information:**

For the listed ingredient(s), the identity and/or exact percentage(s) are being withheld as a trade secret.  
For the wording of the listed Hazard Statements refer to section 16.

### 4 First-aid measures

• **Description of first aid measures**

• **After inhalation:**

Supply fresh air; consult doctor in case of complaints.  
Provide oxygen treatment if affected person has difficulty breathing.

• **After skin contact:**

Immediately remove any clothing soiled by the product.  
Immediately rinse with water.  
If skin irritation continues, consult a doctor.

(Cont'd. on page 3)

**Sysmex America, Inc.**

577 Aptakisic Road, Lincolnshire, IL 60069  
Phone 847-996-4500 · 1-800-3SYSMEX (1-800-379-7639)

[www.sysmex.com](http://www.sysmex.com)

XW CELLCLEAN

Document No.: F-EHS-07212 Rev. 1.0

Page 2 of 13

Effective Date: 06 Dec 2017

## Safety Data Sheet

acc. to OSHA HCS (29 CFR 1910.1200) and WHMIS 2015 regulations

Printing date: 11/20/2017

Revision: 11/20/2017

**Trade name: XW Cellclean**

(Cont'd. of page 2)

Seek immediate medical help for blistering or open wounds.

**• After eye contact:**

Protect unharmed eye.

Remove contact lenses if worn.

Rinse opened eye for several minutes under running water. Then consult a doctor.

**• After swallowing:**

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; immediately call for medical help.

**• Most important symptoms and effects, both acute and delayed:**

Coughing

Breathing difficulty

Cramp

Caustic effect on skin and mucous membranes.

Gastric or intestinal disorders when ingested.

Nausea in case of ingestion.

**• Danger:**

Danger of gastric perforation.

Danger of impaired breathing.

Causes serious eye damage.

**• Indication of any immediate medical attention and special treatment needed:**

Medical supervision for at least 48 hours.

If necessary oxygen respiration treatment.

Later observation for pneumonia and pulmonary edema.

### 5 Fire-fighting measures

**• Extinguishing media****• Suitable extinguishing agents:**

The product is not flammable.

Use fire fighting measures that suit the environment.

**• For safety reasons unsuitable extinguishing agents: None.****• Special hazards arising from the substance or mixture**

During heating or in case of fire poisonous gases are produced.

**• Advice for firefighters****• Protective equipment:**

Wear self-contained respiratory protective device.

Wear fully protective suit.

**• Additional information: Cool endangered receptacles with water spray.**

(Cont'd. on page 4)

**Sysmex America, Inc.**

577 Aptakisic Road, Lincolnshire, IL 60069

Phone 847-996-4500 · 1-800-3SYSMEX (1-800-379-7639)

[www.sysmex.com](http://www.sysmex.com)XW CELLCLEAN

Document No.: F-EHS-07212 Rev. 1.0

Page 3 of 13

Effective Date: 06 Dec 2017

## Safety Data Sheet

acc. to OSHA HCS (29 CFR 1910.1200) and WHMIS 2015 regulations

Printing date: 11/20/2017

Revision: 11/20/2017

**Trade name: XW Cellclean**

(Cont'd. of page 3)

### 6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures**

Particular danger of slipping on leaked/spilled product.

Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation.

For large spills, use respiratory protective device against the effects of fumes/dust/aerosol.

- **Environmental precautions**

Do not allow to enter sewers/ surface or ground water.

Inform respective authorities in case of seepage into water course or sewage system.

- **Methods and material for containment and cleaning up**

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Send for recovery or disposal in suitable receptacles.

- **Reference to other sections**

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

### 7 Handling and storage

- **Handling**

- **Precautions for safe handling:**

Open and handle receptacle with care.

Prevent formation of aerosols.

Use only in well ventilated areas.

Avoid splashes or spray in enclosed areas.

Avoid contact with the eyes and skin.

- **Information about protection against explosions and fires:** No special measures required.

- **Conditions for safe storage, including any incompatibilities**

- **Storage**

- **Requirements to be met by storerooms and receptacles:**

Store only in the original receptacle.

Unsuitable material for receptacle: aluminium.

Unsuitable material for receptacle: steel.

Avoid storage near extreme heat, ignition sources or open flame.

- **Information about storage in one common storage facility:**

Do not store together with acids.

Store away from foodstuffs.

Store away from oxidizing agents.

Store away from metals.

- **Further information about storage conditions:**

Store in cool, dry conditions in well sealed receptacles.

(Cont'd. on page 5)

**Sysmex America, Inc.**

577 Aptakisic Road, Lincolnshire, IL 60069

Phone 847-996-4500 · 1-800-3SYSMEX (1-800-379-7639)

[www.sysmex.com](http://www.sysmex.com)XW CELLCLEAN

Document No.: F-EHS-07212 Rev. 1.0

Page 4 of 13

Effective Date: 06 Dec 2017

## Safety Data Sheet

acc. to OSHA HCS (29 CFR 1910.1200) and WHMIS 2015 regulations

Printing date: 11/20/2017

Revision: 11/20/2017

**Trade name: XW Cellclean**

(Cont'd. of page 4)

- Keep containers tightly sealed.
- **Specific end use(s)** No relevant information available.

### 8 Exposure controls/personal protection

- **Control parameters**

- **Components with limit values that require monitoring at the workplace:**

**7681-52-9 sodium hypochlorite**

WEEL (USA) Short-term value: 2 mg/m<sup>3</sup>

- **Exposure controls**

- **Personal protective equipment:**

- **General protective and hygienic measures:**

The usual precautionary measures for handling chemicals should be followed.  
 Keep away from foodstuffs, beverages and feed.  
 Immediately remove all soiled and contaminated clothing.  
 Do not inhale gases / fumes / aerosols.  
 Wash hands before breaks and at the end of work.  
 Avoid contact with the eyes and skin.

- **Engineering controls:** No relevant information available.

- **Breathing equipment:**

Use suitable respiratory protective device when high concentrations are present.  
 Use suitable respiratory protective device when aerosol or mist is formed.  
 For spills, respiratory protection may be advisable.

- **Protection of hands:**



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

- **For the permanent contact gloves made of the following materials are suitable:**

PVC gloves  
 Rubber gloves

- **Eye protection:**



Safety glasses

- **Body protection:** Alkaline resistant protective clothing

- **Limitation and supervision of exposure into the environment**

No relevant information available.

(Cont'd. on page 6)

**Sysmex America, Inc.**

577 Aptakisic Road, Lincolnshire, IL 60069  
 Phone 847-996-4500 · 1-800-3SYSMEX (1-800-379-7639)

[www.sysmex.com](http://www.sysmex.com)

XW CELLCLEAN

Document No.: F-EHS-07212 Rev. 1.0

Page 5 of 13

Effective Date: 06 Dec 2017



**Sysmex America, Inc.**

577 Aptakisic Road, Lincolnshire, IL 60069  
Phone 847-996-4500 · 1-800-3SYSMEX (1-800-379-7639)

[www.sysmex.com](http://www.sysmex.com)

XW CELLCLEAN

Document No.: F-EHS-07212 Rev. 1.0

Page 6 of 13

Effective Date: 06 Dec 2017

## Safety Data Sheet

acc. to OSHA HCS (29 CFR 1910.1200) and WHMIS 2015 regulations

Printing date: 11/20/2017

Revision: 11/20/2017

**Trade name: XW Cellclean**

(Cont'd. of page 5)

· **Risk management measures** See Section 7 for additional information.

### 9 Physical and chemical properties

· **Information on basic physical and chemical properties**

· **Appearance:**

**Form:** Liquid  
    **Color:** Light yellow

· **Odor:** Pungent

· **Odor threshold:** Not determined.

· **pH-value:** > 12

· **Melting point/Melting range:** Not determined.

· **Boiling point/Boiling range:** Not determined.

· **Flash point:** Not applicable.

· **Flammability (solid, gaseous):** Not applicable.

· **Auto-ignition temperature:** Not determined.

· **Decomposition temperature:** Not determined.

· **Danger of explosion:** Product does not present an explosion hazard.

· **Explosion limits**

**Lower:** Not determined.

**Upper:** Not determined.

· **Vapor pressure:** Not determined.

· **Density:**

**Relative density:** 1.07

**Vapor density:** Not determined.

**Evaporation rate:** Not determined.

· **Solubility in / Miscibility with**

**Water:** Fully miscible.

· **Partition coefficient (n-octanol/water):** Not determined.

· **Viscosity**

**Dynamic:** Not determined.

**Kinematic:** Not determined.

· **Other information** No relevant information available.

(Cont'd. on page 7)

**Sysmex America, Inc.**

577 Aptakisic Road, Lincolnshire, IL 60069

Phone 847-996-4500 · 1-800-3SYSMEX (1-800-379-7639)

[www.sysmex.com](http://www.sysmex.com)

XW CELLCLEAN

Document No.: F-EHS-07212 Rev. 1.0

Page 7 of 13

Effective Date: 06 Dec 2017

## Safety Data Sheet

acc. to OSHA HCS (29 CFR 1910.1200) and WHMIS 2015 regulations

Printing date: 11/20/2017

Revision: 11/20/2017

**Trade name:** XW Cellclean

(Cont'd. of page 6)

### 10 Stability and reactivity

- **Reactivity:** No relevant information available.
- **Chemical stability:**
- **Thermal decomposition / conditions to be avoided:**  
No decomposition if used and stored according to specifications.  
To avoid thermal decomposition, do not overheat.
- **Possibility of hazardous reactions**  
Contact with acids releases toxic gases.  
Reacts with many consumer products, releasing chlorine or chlorine oxide gas.  
Toxic fumes may be released if heated above the decomposition point.  
Reacts with strong oxidizing agents.  
Corrosive action on metals.
- **Conditions to avoid** Excessive heat and contact with acids.
- **Incompatible materials**  
Caution! Do not use in conjunction with other products. Dangerous gases (chlorine) may be given off.
- **Hazardous decomposition products**  
Poisonous gases/vapors  
Chlorine  
Hydrogen chloride (HCl)

### 11 Toxicological information

- **Information on toxicological effects**
  - **Acute toxicity:**
- |   |      |                    |
|---|------|--------------------|
| <b>LD/LC50 values that are relevant for classification:</b> |      |                    |
| <b>7681-52-9 sodium hypochlorite</b>                        |      |                    |
| Oral  | LD50 | 5800 mg/kg (mouse) |
- **Primary irritant effect:**
  - **On the skin:** Caustic effect on skin and mucous membranes.
  - **On the eye:** Strong caustic effect.
  - **Sensitization:** No sensitizing effects known.

· **IARC (International Agency for Research on Cancer):**

None of the ingredients are listed.

· **NTP (National Toxicology Program):**

None of the ingredients are listed.

· **OSHA-Ca (Occupational Safety & Health Administration):**

None of the ingredients are listed.

(Cont'd. on page 8)

**Sysmex America, Inc.**

577 Aptakisic Road, Lincolnshire, IL 60069  
Phone 847-996-4500 · 1-800-3SYSMEX (1-800-379-7639)

[www.sysmex.com](http://www.sysmex.com)

XW CELLCLEAN

Document No.: F-EHS-07212 Rev. 1.0

Page 8 of 13

Effective Date: 06 Dec 2017



## Safety Data Sheet

acc. to OSHA HCS (29 CFR 1910.1200) and WHMIS 2015 regulations

Printing date: 11/20/2017

Revision: 11/20/2017

**Trade name: XW Cellclean**

(Cont'd. of page 7)

- **Probable route(s) of exposure:**
  - Ingestion.
  - Inhalation.
  - Eye contact.
  - Skin contact.
- **Repeated dose toxicity:** No relevant information available.
- **CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)**
- **Germ cell mutagenicity:** Based on available data, the classification criteria are not met.
- **Carcinogenicity:** Based on available data, the classification criteria are not met.
- **Reproductive toxicity:** Based on available data, the classification criteria are not met.
- **STOT-single exposure:** May cause respiratory irritation.
- **STOT-repeated exposure:** Based on available data, the classification criteria are not met.
- **Aspiration hazard:** Based on available data, the classification criteria are not met.

### 12 Ecological information

- **Toxicity**
- **Aquatic toxicity** Toxic to aquatic life with long lasting effects.
- **Persistence and degradability** No relevant information available.
- **Bioaccumulative potential:** No relevant information available.
- **Mobility in soil:** No relevant information available.
- **Ecotoxicological effects:**
- **Remark:**
  - After neutralization a reduction of the harming action may be recognized
  - Inhibition of the development of the biomass
  - Toxic for algae
- **Additional ecological information**
- **General notes:**
  - Do not allow product to reach ground water, water course or sewage system.
  - Rinse off of bigger amounts into drains or the aquatic environment may lead to increased pH-values. A high pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably reduced, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **Other adverse effects** No relevant information available.

(Cont'd. on page 9)

**Sysmex America, Inc.**577 Aptakisic Road, Lincolnshire, IL 60069  
Phone 847-996-4500 · 1-800-3SYSMEX (1-800-379-7639)[www.sysmex.com](http://www.sysmex.com)XW CELLCLEAN

Document No.: F-EHS-07212 Rev. 1.0

Page 9 of 13

Effective Date: 06 Dec 2017

## Safety Data Sheet

acc. to OSHA HCS (29 CFR 1910.1200) and WHMIS 2015 regulations

Printing date: 11/20/2017

Revision: 11/20/2017



**Trade name: XWCellclean**

(Cont'd. of page 8)

### 13 Disposal considerations

- **Waste treatment methods**
- **Recommendation:**  
The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes.
- **Uncleaned packagings**
- **Recommendation:** Disposal must be made according to official regulations.
- **Recommended cleansing agent:** Water, if necessary with cleansing agents.

### 14 Transport information

- |   |  |
|---|--|
| <b>· UN-Number</b>  | UN1791   |
| <b>· DOT, ADR, IMDG, IATA</b>   |  |
| <b>· UN proper shipping name</b>  | Hypochlorite solutions                           |
| <b>· DOT</b>  | HYPOCHLORITE SOLUTION, ENVIRONMENTALLY HAZARDOUS |
| <b>· ADR</b>  | HYPOCHLORITE SOLUTION, MARINE POLLUTANT          |
| <b>· IMDG</b>   | Hypochlorite solution                            |
| <b>· IATA</b>   |  |
| <b>· Transport hazard class(es)</b>   |  |
| <b>· DOT</b>  |  |
|  |  |
| <b>· Class</b>  | 8 Corrosive substances                           |
| <b>· Label</b>  | 8  |
| <b>· ADR</b>  |  |
|  |  |
| <b>· Class</b>  | 8 (C9) Corrosive substances                      |

(Cont'd. on page 10)

**Sysmex America, Inc.**

577 Aptakisic Road, Lincolnshire, IL 60069  
Phone 847-996-4500 · 1-800-3SYSMEX (1-800-379-7639)

[www.sysmex.com](http://www.sysmex.com)

XW CELLCLEAN

Document No.: F-EHS-07212 Rev. 1.0

Page 10 of 13

Effective Date: 06 Dec 2017

### Safety Data Sheet




acc. to OSHA HCS (29 CFR 1910.1200) and WHMIS 2015 regulations

Printing date: 11/20/2017

Revision: 11/20/2017

Trade name: XW Cellclean

(Cont'd. of page 9)

· Label	8
· IMDG	
	
· Class	8 Corrosive substances
· Label	8
· IATA	
	
· Class	8 Corrosive substances
· Label	8
· Packing group	
· DOT, ADR, IMDG, IATA	III
· Environmental hazards	
· Marine pollutant:	Symbol (fish and tree)
· Special precautions for user	Warning: Corrosive substances
· Danger code (Kemler):	80
· EMS Number:	F-A,S-B
· Segregation groups	Hypochlorites
· Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.
· Transport/Additional information:	
· DOT	Product is additionally classified as a MARINE POLLUTANT based on MARPOL and DOT rules. Labeling as a MARINE POLLUTANT is not required for non-bulk single package shipments by motor vehicle, rail car or aircraft. Bulk packaging consists of a maximum capacity of greater than 450L (119 gallons) for a liquid and a maximum net mass greater than 400kg (882 pounds) for a solid.
	Limited Quantity for packages less than 30 kg gross and inner packagings less than 5 L each.

(Cont'd. on page 11)

## Safety Data Sheet

acc. to OSHA HCS (29 CFR 1910.1200) and WHMIS 2015 regulations

Printing date: 11/20/2017

Revision: 11/20/2017

**Trade name: XW Cellclean**

(Cont'd. of page 10)

· **ADR**



Limited Quantity for packages less than 30 kg gross and inner packagings less than 5 L each.

· **IMDG**



Limited Quantity for packages less than 30 kg gross and inner packagings less than 5 L each.

· **IATA**



Limited Quantity for packages less than 30 kg gross and inner packagings less than 0.5 L each / 1 L net.

### 15 Regulatory information

- **Safety, health and environmental regulations/legislation specific for the substance or mixture**
- **United States (USA)**
- **SARA**

· **Section 302 (extremely hazardous substances):**

None of the ingredients are listed.

· **Section 355 (extremely hazardous substances):**

None of the ingredients are listed.

· **Section 313 (Specific toxic chemical listings):**

None of the ingredients are listed.

· **TSCA (Toxic Substances Control Act)**

All ingredients are listed.

· **Proposition 65 (California)**

· **Chemicals known to cause cancer:**

None of the ingredients are listed.

· **Chemicals known to cause reproductive toxicity for females:**

None of the ingredients are listed.

(Cont'd. on page 12)

**Sysmex America, Inc.**

577 Aptakisic Road, Lincolnshire, IL 60069  
 Phone 847-996-4500 · 1-800-3SYSMEX (1-800-379-7639)

[www.sysmex.com](http://www.sysmex.com)

XW CELLCLEAN

Document No.: F-EHS-07212 Rev. 1.0

Page 12 of 13

Effective Date: 06 Dec 2017

## Safety Data Sheet

acc. to OSHA HCS (29 CFR 1910.1200) and WHMIS 2015 regulations

Printing date: 11/20/2017

Revision: 11/20/2017

**Trade name: XW Cellclean**

(Cont'd. of page 11)

· **Chemicals known to cause reproductive toxicity for males:**

None of the ingredients are listed.

· **Chemicals known to cause developmental toxicity:**

None of the ingredients are listed.

· **Carcinogenic categories**

· **EPA (Environmental Protection Agency):**

None of the ingredients are listed.

· **IARC (International Agency for Research on Cancer):**

None of the ingredients are listed.

· **NIOSH-Ca (National Institute for Occupational Safety and Health):**

None of the ingredients are listed.

· **Canadian Domestic Substances List (DSL):**

All ingredients are listed.

· **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

### 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· **Date of preparation / last revision** 11/04/2016 / -

· **Abbreviations and acronyms:**

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

LDLo: Lowest Lethal Dose Observed

Met. Corr. 1: Corrosive to metals – Category 1

Skin Corr. 1B: Skin corrosion/irritation – Category 1B

Eye Dam. 1: Serious eye damage/eye irritation – Category 1

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

· **Sources**

Website, European Chemicals Agency ([echa.europa.eu](http://echa.europa.eu))

Website, US EPA Substance Registry Services ([ofmpub.epa.gov/sorinternet/registry/substreg/home/overview/home.do](http://ofmpub.epa.gov/sorinternet/registry/substreg/home/overview/home.do))

Website, Chemical Abstracts Registry, American Chemical Society ([www.cas.org](http://www.cas.org)) Patty's Industrial

Hygiene, 6th ed., Rose, Vernon, ed. ISBN: 978-0-470-07488-6

(Cont'd. on page 13)

**Sysmex America, Inc.**

[www.sysmex.com](http://www.sysmex.com)

577 Aptakisic Road, Lincolnshire, IL 60069

Phone 847-996-4500 · 1-800-3SYSMEX (1-800-379-7639)

XW CELLCLEAN

Document No.: F-EHS-07212 Rev. 1.0

Page 13 of 13

Effective Date: 06 Dec 2017



## Safety Data Sheet

acc. to OSHA HCS (29 CFR 1910.1200) and WHMIS 2015 regulations

Printing date: 11/20/2017

Revision: 11/20/2017

**Trade name: XW Cellclean**

(Cont'd. of page 12)

Casarett and Doull's Toxicology: The Basic Science of Poisons, 8th Ed., Klaasen, Curtis D., ed., ISBN: 978-0-07-176923-5.

Safety Data Sheets, Individual Manufacturers

SDS Prepared by:

ChemTel Inc.

1305 North Florida Avenue

Tampa, Florida USA 33602-2902

Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573

Website: [www.chemtelinc.com](http://www.chemtelinc.com)

**Systemex America, Inc.**

577 Aptakisic Road, Lincolnshire, IL 60069

Phone 847-996-4500 · 1-800-3SYSTEMEX (1-800-379-7639)

[www.systemex.com](http://www.systemex.com)

XW CELLCLEAN

Document No.: F-EHS-07212 Rev. 1.0

Page 14 of 13

Effective Date: 06 Dec 2017